



EU Declaration of Conformity (DoC-15031800079-I)

This declaration of conformity is issued under the sole responsibility of the manufacturer. The object of the declaration is in conformity with the relevant Union harmonization legislation:

2014/53/EU Radio Equipment Directive (RED)
2011/65/EU Restriction of Hazardous Substances Directive (RoHS)
2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)
2013/35/EU Electromagnetic Fields Directive (EMF)

Object of the Declaration: TETRA Portable Radio
MTP3500 (PTBP952FE)
MTP3550 (PTBP952HE)
350-470 MHz, 1.8W

GNSS/Bluetooth®

National Licensed Frequencies only

Supersedes DOC-15031800079-H

Placed On The Market By: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Conformity is shown by compliance with the applicable requirements of the following standards:

EN 300 328 V2.2.2
EN 303 413 V1.1.1
EN 302 561 V2.1.1

EN 301 489 - 1 V2.2.3
EN 301 489 - 5 V2.2.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017
Compliant with the ICNIRP (1998) Occupational / Controlled Exposure Limits
EN50360:2017
EN50566:2017

KRAKOW, 24-JAN-2022

Jacek Drabik
Country Manager Motorola Solutions Poland,
Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Friedrich Bollmann
Product Safety and Regulatory Compliance,
Motorola Solutions Germany GmbH, Berlin

Document Keeper: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland



Rev. 1 Addendum to EU Declaration of Conformity (DoC-15031800079-I)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
ANTENNA	
85012031001	380-430 MHz
85012033001	380-430 MHz
85012034001	350-390 MHz
85012056001	380 - 430 MHz
85012065001	410 - 470MHz
85012066001	410 - 470MHz
AUDIO	
GMMN4579A	C-C400 Com-Control Unit
GMMN4584A	HC-2 Helmet-Com Unit Bone-Mic/Dual Speaker
GMMN4585A	HC-1 Helmet-Com Unit Bone-Mic/Single Speaker
HKLN4478B	TRANSPARENT ACOUSTIC TUBE ACCY
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NTN2572A	EARPIECE WITH 12 CABLE (FOR USE WITH BLUETOOTH POD)
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5724A	2-wire surveillance kit, black
PMLN5726A	2-wire surveillance kit, beige
PMLN5727A	Earpiece Inline Mic/PTT, Magone
PMLN5728A	Receive only earpiece, Magone
PMLN5729A	Impress ear microphone system
PMLN5731A	Heavy Duty Headset



Rev. 1 Addendum to EU Declaration of Conformity (DoC-15031800079-I)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
PMLN5732A	Earset with boom mic, Magone
PMLN5733A	Earbud with inline Mic/PTT, Magone
PMLN6635A	LIGHTWEIGHT HEADSET
PMLN6754A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BLACK
PMLN6755A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BEIGE
PMLN6757A	ADJUST D-STYLE W/ IN-LINE PTT/MIC
PMLN6758A	1-WIRE RCV ONLY QD TRANS TUBE BLK
PMLN6759A	IMPRESS TEMPLE TRANSDUCER
PMLN6761A	BREEZE HEADSET MAGEONE
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMLN7269A	NEW 2 WIRE SURVEILLANCE KIT, BLACK
PMLN7270A	NEW 2-WIRE SURVEILLANCE KIT, BEIGE
PMMN4072A	IMPRES RSM large 3.5 jack NC Emerg
PMMN4074A	Impress RSM with 3,5mm Jack
PMMN4075A	REMOTE SPEAKER MICROPHONE SMALL, NO EMERGENCY, IP57
PMMN4078A	RSM small 3.5 jack, Emerg
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
BATTERY	
NNTN8020A	BATTERY LIION LOW CAP (1650MAH) 3.6V NON-IMPRES, IP55
NNTN8020AC	3.7V LITHIUM ION BATTERY, 6.1WH



Rev. 1 Addendum to EU Declaration of Conformity (DoC-15031800079-I)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
BATTERY	
NNTN8020B	BATT STD IP55 LIION 1850M 1950T
NNTN8023B	BATTERY LI-ION HIGH CAP (2150MAH) 3.6V NON-IMPRES, IP55
NNTN8023BC	3.7V LITHIUM ION BATTERY, 8.1WH, 2200MAH
BODYWORN	
GMDN0386A	Peter Jones Klick Fast sew on dock
GMDN0445AA	Peter Jones Klick Fast snap on tag dock
GMDN0497A	Peter Jones Belt Dock 38mm
GMDN0547A	Peter Jones Klick Fast double tongue tag dock
GMLN4488A	Peter Jones Click Fast 50 mm Dock Belt
HLN6602A	Universal Chest Pack
PMLN5004B	Shoulder Wearing Device
PMLN5885B	Hard Leather Case 3 SWLBL FKP/LKP
PMLN5887B	Soft Leather Case 3 SWLBL FKP/LKP
PMLN5888B	Soft Leather Case 2.5 SWLBL FKP/LKP
PMLN5890B	SOFT LEATHERÂ POUCH USE W/P.J. STUD
PMLN8025A	Peter Jones Clip V2

SOFTWARE

The installed radio software is under the full control of the manufacturer with no access by the user and is in compliance with the relevant directives.

EU Declarations of Conformity are available at: <https://www.motorolasolutions.com/emea-compliance>

Electromagnetic Energy (EME) Test Laboratory

Conformity of models listed with occupational Exposure Level Values (ELVs) in Directive 2013/35/EU

This declaration confirms compliance of Motorola Solutions' portable device(s) model(s) with approved accessories

Model Number	Type Designator	Description
MDH61PCF6TZ1BN	PTB952F	MTP3100 (Boromir Refresh), 350-470 MHz, 1.8W, LKP, Display, geolocation/no-geolocation versions
MDH62PCF6TZ7BN	PTB952FE	MTP3200 (Boromir Refresh), 350-470 MHz, 1.8W, LKP, GPS/GLONASS/BEIDOU, BT, Display
MDH62PCF6TZ8AN	PTBP952FE	MTP3500 (Boromir Plus), 350-470 MHz, 1.8W, LKP, GPS/GLONASS/BEIDOU, BT, Display, SIM and no SIM versions
MDH63PCH6TZ3BN	PTB952HE	MTP3150 (Boromir Refresh), 350-470 MHz, 1.8W, FKP, GPS/GLONASS/BEIDOU, Display
MDH63PCH6TZ5BN	PTB952HE	MTP3250 (Boromir Refresh), 350-470 MHz, 1.8W, FKP, GPS/GLONASS/BEIDOU, BT, Display
MDH63PCH6TZ8AN	PTBP952HE	MTP3550 (Boromir Plus), 350-470 MHz, 1.8W, FKP, GPS/GLONASS/BEIDOU, BT, Display, SIM and no SIM versions

with the occupational ICNIRP¹ limits for radio frequency (RF) energy exposure. The ICNIRP guidelines were developed by an independent scientific organization after thorough evaluations of relevant research studies, and have been endorsed by the World Health Organization (WHO). The ICNIRP guidelines are also referenced in the European Directive 2013/35/EU,² forming the basis of the applicable RF exposure framework for workers.

The applicable exposure limit is specified in terms of the Specific Absorption Rate (SAR), measured in units of watts per kilogram (W/kg). SAR tests of these Motorola Solutions devices indicate that they conform with the applicable SAR limits defined in harmonized³ standard EN50360,⁴ and EN50566,⁵ using operating configuration(s) while transmitting at nominal power, with results scaled to the highest certified power level in all tested frequency bands.

SAR tests, performed at a laboratory certified to the ISO/IEC Guide 17025,⁶ show that these Motorola Solutions' portable device model(s), in all tested operating modes (on the body, on the sides of the head, and in front of the face as applicable), at the highest certified power level(s), conform(s) with the ICNIRP limits for professional devices and occupational users,⁷ and both the health and the sensory ELVs defined in Directive 2013/35/EU.⁸

Sincerely,



Tiong Nguk Ing on behalf of Pei Loo Tey
 Penang EME Laboratory Manager
 DATE : 03-MAY-2019

¹ICNIRP (1998): International Commission on Non Ionizing Radiation Protection, "Guidelines for Limiting Exposure to Time-Varying Electric, Magnetic, and Electromagnetic Fields (Up to 300 GHz)" Health Physics, vol. 75, no. 4, pp. 494-522.

²Directive 2013/35/EU of the European Parliament and of the Council of 26 June 2013 on the minimum health and safety requirements regarding the exposure of workers to the risks arising from physical agents (electromagnetic fields) (20th individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) and repealing Directive 2004/40/EC.

³Directive 2014/53/EU of The European Parliament and of the Council of 16 April 2014 on the Harmonisation of the Laws of the Member States Relating to the Making Available on The Market of Radio Equipment and Repealing Directive 1999/5/EC.

⁴EN50360:2017 Product standard to demonstrate the compliance of wireless communication devices, with the basic restrictions and exposure limit values related to human exposure to electromagnetic fields in the frequency range from 300 MHz to 6 GHz: devices used next to the ear.

⁵EN50566:2017 Product standard to demonstrate the compliance of wireless communication devices with the basic restrictions and exposure limit values related to human exposure to electromagnetic fields in the frequency range from 30 MHz to 6 GHz: hand-held and body mounted devices in close proximity to the human body.

⁶ISO/IEC 17025 General requirements for the competence of testing and calibration laboratories.

⁷Implicit whole-body SAR compliance with the 0.4 W/kg limit is shown using the threshold (16.8 W) derived from Table B.1 in EN 62311:2008.

⁸The Specific Absorption (SA) sensory limits defined in Directive 2013/35/EU apply only to ultra-short-pulsed radio-frequency waveforms capable of inducing the microwave hearing effect, e.g., powerful RADAR emissions, but not the Motorola Solutions radio(s) referenced herein.



Déclaration UE de Conformité (DoC-15031800079-I)

La présente déclaration de conformité est établie sous la seule responsabilité du fabricant. L'objet de la déclaration décrit ci-dessus est conforme à la législation d'harmonisation de l'Union applicable:

Directive 2014/53/UE (RED)
Directive 2011/65/UE (RoHS)
Directive 2012/19/UE (WEEE)
Directive 2013/35/UE (EMF)

Objet de la déclaration: TETRA Portable Radio

MTP3500 (PTBP952FE)

MTP3550 (PTBP952HE)

350-470 MHz, 1.8W

GNSS/Bluetooth®

National Licensed Frequencies only

Supersedes DOC-15031800079-H

Mis sur le marché par: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Par conformité, nous faisons référence à la conformité avec les exigences applicables des normes suivantes :

EN 300 328 V2.2.2
EN 303 413 V1.1.1
EN 302 561 V2.1.1

EN 301 489 - 1 V2.2.3
EN 301 489 - 5 V2.2.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017

Conforme à la directive ICNIRP (1998) sur les limites d'exposition contrôlée ou à usage professionnel

EN50360:2017

EN50566:2017

Détenteur du document: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Nous confirmons l'exactitude de cette traduction. Celle-ci est valable uniquement si elle est fournie avec la version anglaise d'origine signée.

Rev. 1 Complément à Déclaration UE de Conformité (DoC-15031800079-I)

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
ANTENNE	
85012031001	380-430 MHz
85012033001	380-430 MHz
85012034001	350-390 MHz
85012056001	380 - 430 MHz
85012065001	410 - 470MHz
85012066001	410 - 470MHz
AUDIO	
GMMN4579A	C-C400 Com-Control Unit
GMMN4584A	HC-2 Helmet-Com Unit Bone-Mic/Dual Speaker
GMMN4585A	HC-1 Helmet-Com Unit Bone-Mic/Single Speaker
HKLN4478B	TRANSPARENT ACOUSTIC TUBE ACCY
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NTN2572A	EARPIECE WITH 12 CABLE (FOR USE WITH BLUETOOTH POD)
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5724A	2-wire surveillance kit, black
PMLN5726A	2-wire surveillance kit, beige
PMLN5727A	Earpiece Inline Mic/PTT, Magone
PMLN5728A	Receive only earpiece, Magone
PMLN5729A	Impress ear microphone system
PMLN5731A	Heavy Duty Headset

**Rev. 1 Complément à Déclaration UE de Conformité (DoC-15031800079-I)**

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
AUDIO	
PMLN5732A	Earset with boom mic, Magone
PMLN5733A	Earbud with inline Mic/PTT, Magone
PMLN6635A	LIGHTWEIGHT HEADSET
PMLN6754A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BLACK
PMLN6755A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BEIGE
PMLN6757A	ADJUST D-STYLE W/ IN-LINE PTT/MIC
PMLN6758A	1-WIRE RCV ONLY QD TRANS TUBE BLK
PMLN6759A	IMPRESS TEMPLE TRANSDUCER
PMLN6761A	BREEZE HEADSET MAGEONE
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMLN7269A	NEW 2 WIRE SURVEILLANCE KIT, BLACK
PMLN7270A	NEW 2-WIRE SURVEILLANCE KIT, BEIGE
PMMN4072A	IMPRES RSM large 3.5 jack NC Emerg
PMMN4074A	Impress RSM with 3,5mm Jack
PMMN4075A	REMOTE SPEAKER MICROPHONE SMALL, NO EMERGENCY, IP57
PMMN4078A	RSM small 3.5 jack, Emerg
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
BATTERIE	
NNTN8020A	BATTERY LIION LOW CAP (1650MAH) 3.6V NON-IMPRES, IP55
NNTN8020AC	3.7V LITHIUM ION BATTERY, 6.1WH

**Rev. 1 Complément à Déclaration UE de Conformité (DoC-15031800079-I)**

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
BATTERIE	
NNTN8020B	BATT STD IP55 LIION 1850M 1950T
NNTN8023B	BATTERY LI-ION HIGH CAP (2150MAH) 3.6V NON-IMPRES, IP55
NNTN8023BC	3.7V LITHIUM ION BATTERY, 8.1WH, 2200MAH
PORT SUR LE CORPS	
GMDN0386A	Peter Jones Klick Fast sew on dock
GMDN0445AA	Peter Jones Klick Fast snap on tag dock
GMDN0497A	Peter Jones Belt Dock 38mm
GMDN0547A	Peter Jones Klick Fast double tongue tag dock
GMLN4488A	Peter Jones Click Fast 50 mm Dock Belt
HLN6602A	Universal Chest Pack
PMLN5004B	Shoulder Wearing Device
PMLN5885B	Hard Leather Case 3 SWLBL FKP/LKP
PMLN5887B	Soft Leather Case 3 SWLBL FKP/LKP
PMLN5888B	Soft Leather Case 2.5 SWLBL FKP/LKP
PMLN5890B	SOFT LEATHERÂ POUCH USE W/P.J. STUD
PMLN8025A	Peter Jones Clip V2

LOGICIEL

Le logiciel radio installé est sous l'entière responsabilité du fabricant, sans aucun accès par l'utilisateur et est conforme aux directives applicables.



EU-Konformitätserklärung (DoC-15031800079-I)

Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller. Der oben beschriebene Gegenstand der Erklärung erfüllt die einschlägigen Harmonisierungsrechtsvorschriften der Union:

Richtlinie 2014/53/EU (RED)
Richtlinie 2011/65/EU (RoHS)
Richtlinie 2012/19/EU (WEEE)
Richtlinie 2013/35/EU (EMF)

Gegenstand der Erklärung: TETRA Portable Radio
MTP3500 (PTBP952FE)
MTP3550 (PTBP952HE)
350-470 MHz, 1.8W

GNSS/Bluetooth®

National Licensed Frequencies only

Supersedes DOC-15031800079-H

Auf den Markt gebracht durch: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Die Konformität wird durch die Einhaltung der geltenden Anforderungen der folgenden Standards gezeigt:

EN 300 328 V2.2.2
EN 303 413 V1.1.1
EN 302 561 V2.1.1

EN 301 489 - 1 V2.2.3
EN 301 489 - 5 V2.2.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017
Konform mit den ICNIRP (1998) Grenzwerten berufsbedingter/kontrollierter Exposition
EN50360:2017
EN50566:2017

Dokumentverwaltung: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Wir bestätigen die Richtigkeit dieser Übersetzung. Sie ist nur gültig, wenn sie mit der signierten englischen Originalversion bereitgestellt wurde.

DE

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-15031800079-I)

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

TEILNUMMERBESCHREIBUNG (NUR ZUR INFORMATION)**ANTENNE**

85012031001	380-430 MHz
85012033001	380-430 MHz
85012034001	350-390 MHz
85012056001	380 - 430 MHz
85012065001	410 - 470MHz
85012066001	410 - 470MHz

AUDIOZUBEHÖR

GMMN4579A	C-C400 Com-Control Unit
GMMN4584A	HC-2 Helmet-Com Unit Bone-Mic/Dual Speaker
GMMN4585A	HC-1 Helmet-Com Unit Bone-Mic/Single Speaker
HKLN4478B	TRANSPARENT ACOUSTIC TUBE ACCY
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NTN2572A	EARPIECE WITH 12 CABLE (FOR USE WITH BLUETOOTH POD)
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5724A	2-wire surveillance kit, black
PMLN5726A	2-wire surveillance kit, beige
PMLN5727A	Earpiece Inline Mic/PTT, Magone
PMLN5728A	Receive only earpiece, Magone
PMLN5729A	Impress ear microphone system
PMLN5731A	Heavy Duty Headset

**Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-15031800079-I)**

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
AUDIOZUBEHÖR	
PMLN5732A	Earset with boom mic, Magone
PMLN5733A	Earbud with inline Mic/PTT, Magone
PMLN6635A	LIGHTWEIGHT HEADSET
PMLN6754A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BLACK
PMLN6755A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BEIGE
PMLN6757A	ADJUST D-STYLE W/ IN-LINE PTT/MIC
PMLN6758A	1-WIRE RCV ONLY QD TRANS TUBE BLK
PMLN6759A	IMPRESS TEMPLE TRANSDUCER
PMLN6761A	BREEZE HEADSET MAGEONE
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMLN7269A	NEW 2 WIRE SURVEILLANCE KIT, BLACK
PMLN7270A	NEW 2-WIRE SURVEILLANCE KIT, BEIGE
PMMN4072A	IMPRES RSM large 3.5 jack NC Emerg
PMMN4074A	Impress RSM with 3,5mm Jack
PMMN4075A	REMOTE SPEAKER MICROPHONE SMALL, NO EMERGENCY, IP57
PMMN4078A	RSM small 3.5 jack, Emerg
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
AKKU	
NNTN8020A	BATTERY LIION LOW CAP (1650MAH) 3.6V NON-IMPRES, IP55
NNTN8020AC	3.7V LITHIUM ION BATTERY, 6.1WH

**Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-15031800079-I)**

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
AKKU	
NNTN8020B	BATT STD IP55 LIION 1850M 1950T
NNTN8023B	BATTERY LI-ION HIGH CAP (2150MAH) 3.6V NON-IMPRES, IP55
NNTN8023BC	3.7V LITHIUM ION BATTERY, 8.1WH, 2200MAH
AM KÖRPER GETRAGEN	
GMDN0386A	Peter Jones Klick Fast sew on dock
GMDN0445AA	Peter Jones Klick Fast snap on tag dock
GMDN0497A	Peter Jones Belt Dock 38mm
GMDN0547A	Peter Jones Klick Fast double tongue tag dock
GMLN4488A	Peter Jones Click Fast 50 mm Dock Belt
HLN6602A	Universal Chest Pack
PMLN5004B	Shoulder Wearing Device
PMLN5885B	Hard Leather Case 3 SWLBL FKP/LKP
PMLN5887B	Soft Leather Case 3 SWLBL FKP/LKP
PMLN5888B	Soft Leather Case 2.5 SWLBL FKP/LKP
PMLN5890B	SOFT LEATHERÂ POUCH USE W/P.J. STUD
PMLN8025A	Peter Jones Clip V2

SOFTWARE

Die installierte Funkgerätesoftware unterliegt der vollständigen Kontrolle des Herstellers ohne Zugriff durch den Benutzer und entspricht den dazugehörigen Richtlinien.



Dichiarazione di conformità UE (DoC-15031800079-I)

La presente dichiarazione di conformità è rilasciata sotto l'esclusiva responsabilità del fabbricante. L'oggetto della dichiarazione di cui sopra è conforme alla pertinente normativa di armonizzazione dell'Unione:

Direttiva 2014/53/UE (RED)
Direttiva 2011/65/UE (RoHS)
Direttiva 2012/19/UE (WEEE)
Direttiva 2013/35/UE (EMF)

Oggetto della dichiarazione: TETRA Portable Radio
MTP3500 (PTBP952FE)
MTP3550 (PTBP952HE)
350-470 MHz, 1.8W

GNSS/Bluetooth®

National Licensed Frequencies only

Supersedes DOC-15031800079-H

Commercializzato da: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

La conformità è dimostrata dalla rispondenza ai requisiti applicabili dei seguenti standard:

EN 300 328 V2.2.2
EN 303 413 V1.1.1
EN 302 561 V2.1.1

EN 301 489 - 1 V2.2.3
EN 301 489 - 5 V2.2.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017
Conforme ai limiti di esposizione per scopi professionali/controllati dello standard ICNIRP (1998)
EN50360:2017
EN50566:2017

Riferimento del documento: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Si conferma la correttezza di questa traduzione. è valida solo se fornita con la versione originale in inglese firmata.

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-15031800079-I)

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
ANTENNA	
85012031001	380-430 MHz
85012033001	380-430 MHz
85012034001	350-390 MHz
85012056001	380 - 430 MHz
85012065001	410 - 470MHz
85012066001	410 - 470MHz
AUDIO	
GMMN4579A	C-C400 Com-Control Unit
GMMN4584A	HC-2 Helmet-Com Unit Bone-Mic/Dual Speaker
GMMN4585A	HC-1 Helmet-Com Unit Bone-Mic/Single Speaker
HKLN4478B	TRANSPARENT ACOUSTIC TUBE ACCY
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NTN2572A	EARPIECE WITH 12 CABLE (FOR USE WITH BLUETOOTH POD)
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5724A	2-wire surveillance kit, black
PMLN5726A	2-wire surveillance kit, beige
PMLN5727A	Earpiece Inline Mic/PTT, Magone
PMLN5728A	Receive only earpiece, Magone
PMLN5729A	Impress ear microphone system
PMLN5731A	Heavy Duty Headset

**Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-15031800079-I)**

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
AUDIO	
PMLN5732A	Earset with boom mic, Magone
PMLN5733A	Earbud with inline Mic/PTT, Magone
PMLN6635A	LIGHTWEIGHT HEADSET
PMLN6754A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BLACK
PMLN6755A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BEIGE
PMLN6757A	ADJUST D-STYLE W/ IN-LINE PTT/MIC
PMLN6758A	1-WIRE RCV ONLY QD TRANS TUBE BLK
PMLN6759A	IMPRESS TEMPLE TRANSDUCER
PMLN6761A	BREEZE HEADSET MAGEONE
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMLN7269A	NEW 2 WIRE SURVEILLANCE KIT, BLACK
PMLN7270A	NEW 2-WIRE SURVEILLANCE KIT, BEIGE
PMMN4072A	IMPRES RSM large 3.5 jack NC Emerg
PMMN4074A	Impress RSM with 3,5mm Jack
PMMN4075A	REMOTE SPEAKER MICROPHONE SMALL, NO EMERGENCY, IP57
PMMN4078A	RSM small 3.5 jack, Emerg
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
BATTERIA	
NNTN8020A	BATTERY LIION LOW CAP (1650MAH) 3.6V NON-IMPRES, IP55
NNTN8020AC	3.7V LITHIUM ION BATTERY, 6.1WH

**Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-15031800079-I)**

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
BATTERIA	
NNTN8020B	BATT STD IP55 LIION 1850M 1950T
NNTN8023B	BATTERY LI-ION HIGH CAP (2150MAH) 3.6V NON-IMPRES, IP55
NNTN8023BC	3.7V LITHIUM ION BATTERY, 8.1WH, 2200MAH
INDOSSABILE	
GMDN0386A	Peter Jones Klick Fast sew on dock
GMDN0445AA	Peter Jones Klick Fast snap on tag dock
GMDN0497A	Peter Jones Belt Dock 38mm
GMDN0547A	Peter Jones Klick Fast double tongue tag dock
GMLN4488A	Peter Jones Click Fast 50 mm Dock Belt
HLN6602A	Universal Chest Pack
PMLN5004B	Shoulder Wearing Device
PMLN5885B	Hard Leather Case 3 SWLBL FKP/LKP
PMLN5887B	Soft Leather Case 3 SWLBL FKP/LKP
PMLN5888B	Soft Leather Case 2.5 SWLBL FKP/LKP
PMLN5890B	SOFT LEATHERÂ POUCH USE W/P.J. STUD
PMLN8025A	Peter Jones Clip V2

SOFTWARE

Il software della radio installato è sotto il completo controllo del costruttore senza accesso da parte dell'utente ed è conforme alle direttive pertinenti.



Deklaracja zgodności UE (DoC-15031800079-I)

Niniejszą deklarację zgodności wydaje się na wyłączną odpowiedzialność producenta.
Wymieniony poniżej przedmiot niniejszej deklaracji jest zgodny z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego:

Dyrektywa 2014/53/UE (RED)
Dyrektywa 2011/65/UE (RoHS)
Dyrektywa 2012/19/UE (WEEE)
Dyrektywa 2013/35/UE (EMF)

Przedmiot deklaracji: TETRA Portable Radio
MTP3500 (PTBP952FE)
MTP3550 (PTBP952HE)
350-470 MHz, 1.8W

GNSS/Bluetooth®

National Licensed Frequencies only

Supersedes DOC-15031800079-H

Wprowadzony do obrotu przez: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Odwołania do norm, w odniesieniu do których deklarowana jest zgodność:

EN 300 328 V2.2.2
EN 303 413 V1.1.1
EN 302 561 V2.1.1

EN 301 489 - 1 V2.2.3
EN 301 489 - 5 V2.2.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017
Zgodność z wytycznymi określonymi przez Międzynarodową Komisję Ochrony przed Promieniowaniem Niejonizującym ICNIRP (1998)
EN50360:2017
EN50566:2017

Właściciel dokumentu: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Potwierdzamy poprawność niniejszego tłumaczenia. Obowiązuje jedynie z podpisanym oryginałem w języku angielskim.

**Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-15031800079-I)**

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)**ANTENA**

85012031001	380-430 MHz
85012033001	380-430 MHz
85012034001	350-390 MHz
85012056001	380 - 430 MHz
85012065001	410 - 470MHz
85012066001	410 - 470MHz

AUDIO

GMMN4579A	C-C400 Com-Control Unit
GMMN4584A	HC-2 Helmet-Com Unit Bone-Mic/Dual Speaker
GMMN4585A	HC-1 Helmet-Com Unit Bone-Mic/Single Speaker
HKLN4478B	TRANSPARENT ACOUSTIC TUBE ACCY
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NTN2572A	EARPIECE WITH 12 CABLE (FOR USE WITH BLUETOOTH POD)
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5724A	2-wire surveillance kit, black
PMLN5726A	2-wire surveillance kit, beige
PMLN5727A	Earpiece Inline Mic/PTT, Magone
PMLN5728A	Receive only earpiece, Magone
PMLN5729A	Impress ear microphone system
PMLN5731A	Heavy Duty Headset

**Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-15031800079-I)**

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)**AUDIO**

PMLN5732A	Earset with boom mic, Magone
PMLN5733A	Earbud with inline Mic/PTT, Magone
PMLN6635A	LIGHTWEIGHT HEADSET
PMLN6754A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BLACK
PMLN6755A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BEIGE
PMLN6757A	ADJUST D-STYLE W/ IN-LINE PTT/MIC
PMLN6758A	1-WIRE RCV ONLY QD TRANS TUBE BLK
PMLN6759A	IMPRESS TEMPLE TRANSDUCER
PMLN6761A	BREEZE HEADSET MAGEONE
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMLN7269A	NEW 2 WIRE SURVEILLANCE KIT, BLACK
PMLN7270A	NEW 2-WIRE SURVEILLANCE KIT, BEIGE
PMMN4072A	IMPRES RSM large 3.5 jack NC Emerg
PMMN4074A	Impress RSM with 3,5mm Jack
PMMN4075A	REMOTE SPEAKER MICROPHONE SMALL, NO EMERGENCY, IP57
PMMN4078A	RSM small 3.5 jack, Emerg
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE

BATERIA

NNTN8020A	BATTERY LIION LOW CAP (1650MAH) 3.6V NON-IMPRES, IP55
NNTN8020AC	3.7V LITHIUM ION BATTERY, 6.1WH

Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-15031800079-I)

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

<u>NUMER KATALOGOWY</u>	<u>OPIS (TYLKO INFORMACYJNIE)</u>
-------------------------	-----------------------------------

BATERIA

NNTN8020B	BATT STD IP55 LIION 1850M 1950T
NNTN8023B	BATTERY LI-ION HIGH CAP (2150MAH) 3.6V NON-IMPRES, IP55
NNTN8023BC	3.7V LITHIUM ION BATTERY, 8.1WH, 2200MAH

URZĄDZENIE NOSZONE NA CIELE

GMDN0386A	Peter Jones Klick Fast sew on dock
GMDN0445AA	Peter Jones Klick Fast snap on tag dock
GMDN0497A	Peter Jones Belt Dock 38mm
GMDN0547A	Peter Jones Klick Fast double tongue tag dock
GMLN4488A	Peter Jones Click Fast 50 mm Dock Belt
HLN6602A	Universal Chest Pack
PMLN5004B	Shoulder Wearing Device
PMLN5885B	Hard Leather Case 3 SWLBL FKP/LKP
PMLN5887B	Soft Leather Case 3 SWLBL FKP/LKP
PMLN5888B	Soft Leather Case 2.5 SWLBL FKP/LKP
PMLN5890B	SOFT LEATHERÂ POUCH USE W/P.J. STUD
PMLN8025A	Peter Jones Clip V2

OPROGRAMOWANIE

Zainstalowane oprogramowanie radiowe pozostaje pod pełną kontrolą producenta bez możliwości ingerencji przez użytkownika. Oprogramowanie jest w zgodności z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego.

Declaração UE de conformidade (DoC-15031800079-I)

A presente declaração de conformidade é emitida sob a exclusiva responsabilidade do fabricante. O objeto da declaração acima mencionada está em conformidade com a legislação de harmonização da União aplicável:

Diretiva 2014/53/UE (RED)
Diretiva 2011/65/EU (RoHS)
Diretiva 2012/19/EU (WEEE)
Diretiva 2013/35/EU (EMF)

Objeto da declaração: TETRA Portable Radio
MTP3500 (PTBP952FE)
MTP3550 (PTBP952HE)
350-470 MHz, 1.8W

GNSS/Bluetooth®

National Licensed Frequencies only

Supersedes DOC-15031800079-H

Introduzido no mercado por: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

A conformidade é demonstrada pela concordância com os requisitos aplicáveis das seguintes normas:

EN 300 328 V2.2.2
EN 303 413 V1.1.1
EN 302 561 V2.1.1

EN 301 489 - 1 V2.2.3
EN 301 489 - 5 V2.2.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017
Em conformidade com os limites de Exposição Ocupacional/Controlada da ICNIRP (1998)
EN50360:2017
EN50566:2017

Proprietário do documento: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

A exatidão desta tradução está confirmada e é válida apenas se fornecida com a versão original em inglês assinada.

Rev. 1 Adendo à Declaração UE de conformidade (DoC-15031800079-I)

Os acessórios listados são aprovados para uso com o objeto desta declaração.

<u>NÚMERO DA PEÇA</u>	<u>DESCRIÇÃO (APENAS PARA INFORMAÇÃO)</u>
ANTENA	
85012031001	380-430 MHz
85012033001	380-430 MHz
85012034001	350-390 MHz
85012056001	380 - 430 MHz
85012065001	410 - 470MHz
85012066001	410 - 470MHz
ÁUDIO	
GMMN4579A	C-C400 Com-Control Unit
GMMN4584A	HC-2 Helmet-Com Unit Bone-Mic/Dual Speaker
GMMN4585A	HC-1 Helmet-Com Unit Bone-Mic/Single Speaker
HKLN4478B	TRANSPARENT ACOUSTIC TUBE ACCY
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NTN2572A	EARPIECE WITH 12 CABLE (FOR USE WITH BLUETOOTH POD)
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5724A	2-wire surveillance kit, black
PMLN5726A	2-wire surveillance kit, beige
PMLN5727A	Earpiece Inline Mic/PTT, Magone
PMLN5728A	Receive only earpiece, Magone
PMLN5729A	Impress ear microphone system
PMLN5731A	Heavy Duty Headset

**Rev. 1 Adendo à Declaração UE de conformidade (DoC-15031800079-I)**

Os acessórios listados são aprovados para uso com o objeto desta declaração.

<u>NÚMERO DA PEÇA</u>	<u>DESCRIÇÃO (APENAS PARA INFORMAÇÃO)</u>
ÁUDIO	
PMLN5732A	Earset with boom mic, Magone
PMLN5733A	Earbud with inline Mic/PTT, Magone
PMLN6635A	LIGHTWEIGHT HEADSET
PMLN6754A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BLACK
PMLN6755A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BEIGE
PMLN6757A	ADJUST D-STYLE W/ IN-LINE PTT/MIC
PMLN6758A	1-WIRE RCV ONLY QD TRANS TUBE BLK
PMLN6759A	IMPRESS TEMPLE TRANSDUCER
PMLN6761A	BREEZE HEADSET MAGEONE
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMLN7269A	NEW 2 WIRE SURVEILLANCE KIT, BLACK
PMLN7270A	NEW 2-WIRE SURVEILLANCE KIT, BEIGE
PMMN4072A	IMPRES RSM large 3.5 jack NC Emerg
PMMN4074A	Impress RSM with 3,5mm Jack
PMMN4075A	REMOTE SPEAKER MICROPHONE SMALL, NO EMERGENCY, IP57
PMMN4078A	RSM small 3.5 jack, Emerg
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
BATERIA	
NNTN8020A	BATTERY LIION LOW CAP (1650MAH) 3.6V NON-IMPRES, IP55
NNTN8020AC	3.7V LITHIUM ION BATTERY, 6.1WH

**Rev. 1 Adendo à Declaração UE de conformidade (DoC-15031800079-I)**

Os acessórios listados são aprovados para uso com o objeto desta declaração.

<u>NÚMERO DA PEÇA</u>	<u>DESCRIÇÃO (APENAS PARA INFORMAÇÃO)</u>
BATERIA	
NNTN8020B	BATT STD IP55 LIION 1850M 1950T
NNTN8023B	BATTERY LI-ION HIGH CAP (2150MAH) 3.6V NON-IMPRES, IP55
NNTN8023BC	3.7V LITHIUM ION BATTERY, 8.1WH, 2200MAH

USADO NO CORPO

GMDN0386A	Peter Jones Klick Fast sew on dock
GMDN0445AA	Peter Jones Klick Fast snap on tag dock
GMDN0497A	Peter Jones Belt Dock 38mm
GMDN0547A	Peter Jones Klick Fast double tongue tag dock
GMLN4488A	Peter Jones Click Fast 50 mm Dock Belt
HLN6602A	Universal Chest Pack
PMLN5004B	Shoulder Wearing Device
PMLN5885B	Hard Leather Case 3 SWLBL FKP/LKP
PMLN5887B	Soft Leather Case 3 SWLBL FKP/LKP
PMLN5888B	Soft Leather Case 2.5 SWLBL FKP/LKP
PMLN5890B	SOFT LEATHERÂ POUCH USE W/P.J. STUD
PMLN8025A	Peter Jones Clip V2

PROGRAMAS

O software de rádio instalado está sob o controle total do fabricante, sem acesso do usuário e está em conformidade com as diretivas relevantes.



Declaración UE de conformidad (DoC-15031800079-I)

La presente declaración de conformidad se expide bajo la exclusiva responsabilidad del fabricante. El objeto de la declaración descrito anteriormente es conforme con la legislación de armonización pertinente de la Unión:

Directiva 2014/53/UE (RED)
Directiva 2011/65/UE (RoHS)
Directiva 2012/19/UE (WEEE)
Directiva 2013/35/UE (EMF)

Objeto de la declaración: TETRA Portable Radio
MTP3500 (PTBP952FE)
MTP3550 (PTBP952HE)
350-470 MHz, 1.8W

GNSS/Bluetooth®

National Licensed Frequencies only

Supersedes DOC-15031800079-H

introducido en el mercado por: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

La conformidad se acreditará mediante el cumplimiento de los requisitos aplicables de los siguientes estándares:

EN 300 328 V2.2.2
EN 303 413 V1.1.1
EN 302 561 V2.1.1

EN 301 489 - 1 V2.2.3
EN 301 489 - 5 V2.2.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017
Cumple con ICNIRP (1998) sobre límites de exposición ocupacional/controlada
EN50360:2017
EN50566:2017

Custodio de la documentación: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Confirmamos la exactitud de esta traducción. Solo es válida si se proporciona con la versión original en inglés firmada.

Rev. 1 Anexo a Declaración UE de conformidad (DoC-15031800079-I)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
ANTENA	
85012031001	380-430 MHz
85012033001	380-430 MHz
85012034001	350-390 MHz
85012056001	380 - 430 MHz
85012065001	410 - 470MHz
85012066001	410 - 470MHz
AUDIO	
GMMN4579A	C-C400 Com-Control Unit
GMMN4584A	HC-2 Helmet-Com Unit Bone-Mic/Dual Speaker
GMMN4585A	HC-1 Helmet-Com Unit Bone-Mic/Single Speaker
HKLN4478B	TRANSPARENT ACOUSTIC TUBE ACCY
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NTN2572A	EARPIECE WITH 12 CABLE (FOR USE WITH BLUETOOTH POD)
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5724A	2-wire surveillance kit, black
PMLN5726A	2-wire surveillance kit, beige
PMLN5727A	Earpiece Inline Mic/PTT, Magone
PMLN5728A	Receive only earpiece, Magone
PMLN5729A	Impress ear microphone system
PMLN5731A	Heavy Duty Headset

**Rev. 1 Anexo a Declaración UE de conformidad (DoC-15031800079-I)**

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
AUDIO	
PMLN5732A	Earset with boom mic, Magone
PMLN5733A	Earbud with inline Mic/PTT, Magone
PMLN6635A	LIGHTWEIGHT HEADSET
PMLN6754A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BLACK
PMLN6755A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BEIGE
PMLN6757A	ADJUST D-STYLE W/ IN-LINE PTT/MIC
PMLN6758A	1-WIRE RCV ONLY QD TRANS TUBE BLK
PMLN6759A	IMPRESS TEMPLE TRANSDUCER
PMLN6761A	BREEZE HEADSET MAGEONE
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMLN7269A	NEW 2 WIRE SURVEILLANCE KIT, BLACK
PMLN7270A	NEW 2-WIRE SURVEILLANCE KIT, BEIGE
PMMN4072A	IMPRES RSM large 3.5 jack NC Emerg
PMMN4074A	Impress RSM with 3,5mm Jack
PMMN4075A	REMOTE SPEAKER MICROPHONE SMALL, NO EMERGENCY, IP57
PMMN4078A	RSM small 3.5 jack, Emerg
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
BATERÍA	
NNTN8020A	BATTERY LIION LOW CAP (1650MAH) 3.6V NON-IMPRES, IP55
NNTN8020AC	3.7V LITHIUM ION BATTERY, 6.1WH

**Rev. 1 Anexo a Declaración UE de conformidad (DoC-15031800079-I)**

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
BATERÍA	
NNTN8020B	BATT STD IP55 LIION 1850M 1950T
NNTN8023B	BATTERY LI-ION HIGH CAP (2150MAH) 3.6V NON-IMPRES, IP55
NNTN8023BC	3.7V LITHIUM ION BATTERY, 8.1WH, 2200MAH

EN EL CUERPO	
GMDN0386A	Peter Jones Klick Fast sew on dock
GMDN0445AA	Peter Jones Klick Fast snap on tag dock
GMDN0497A	Peter Jones Belt Dock 38mm
GMDN0547A	Peter Jones Klick Fast double tongue tag dock
GMLN4488A	Peter Jones Click Fast 50 mm Dock Belt
HLN6602A	Universal Chest Pack
PMLN5004B	Shoulder Wearing Device
PMLN5885B	Hard Leather Case 3 SWLBL FKP/LKP
PMLN5887B	Soft Leather Case 3 SWLBL FKP/LKP
PMLN5888B	Soft Leather Case 2.5 SWLBL FKP/LKP
PMLN5890B	SOFT LEATHERÂ POUCH USE W/P.J. STUD
PMLN8025A	Peter Jones Clip V2

SOFTWARE

El software de radio instalado se encuentra bajo el control total del fabricante sin acceso por parte del usuario y cumple con las directivas pertinentes.



UK Declaration of Conformity (DoC-15031800079-I)

This declaration of conformity is issued under the sole responsibility of the manufacturer. The object of the declaration is in conformity with the relevant UK legislation:

The Radio Equipment Regulations 2017

Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

The Waste Electrical and Electronic Equipment Regulations 2013

The Control of Electromagnetic Fields at Work Regulations 2016

Object of the declaration: TETRA Portable Radio

MTP3500 (PTBP952FE)

MTP3550 (PTBP952HE)

350-470 MHz, 1.8W

GNSS/Bluetooth®

National Licensed Frequencies only

Supersedes DOC-15031800079-H

Placed On The Market By: Motorola Solutions UK, 160 Victoria St, London, SW1E 5LB, U.K.

Conformity is shown by compliance with the applicable requirements of the following standards:

EN 300 328 V2.2.2

EN 303 413 V1.1.1

EN 302 561 V2.1.1

EN 301 489 - 1 V2.2.3

EN 301 489 - 5 V2.2.1

EN 301 489 - 17 V3.1.1

EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017

Compliant with the ICNIRP (1998) Occupational / Controlled Exposure Limits

EN50360:2017

EN50566:2017

KRAKOW, 24-JAN-2022

Jacek Drabik
Country Manager Motorola Solutions Poland,
Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Friedrich Bollmann
Product Safety and Regulatory Compliance,
Motorola Solutions Germany GmbH, Berlin

Document Keeper: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland



Rev. 1 Addendum to UK Declaration of Conformity (DoC-15031800079-I)

The listed accessories are approved for use with the object of this declaration.

(* Non-UK types of power supply plugs can be only used with adaptor complying UKCA regulatory and BS 1363-3 standard.)

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
ANTENNA	
85012031001	380-430 MHz
85012033001	380-430 MHz
85012034001	350-390 MHz
85012056001	380 - 430 MHz
85012065001	410 - 470MHz
85012066001	410 - 470MHz
AUDIO	
GMMN4579A	C-C400 Com-Control Unit
GMMN4584A	HC-2 Helmet-Com Unit Bone-Mic/Dual Speaker
GMMN4585A	HC-1 Helmet-Com Unit Bone-Mic/Single Speaker
HKLN4478B	TRANSPARENT ACOUSTIC TUBE ACCY
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NTN2572A	EARPIECE WITH 12 CABLE (FOR USE WITH BLUETOOTH POD)
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5724A	2-wire surveillance kit, black
PMLN5726A	2-wire surveillance kit, beige
PMLN5727A	Earpiece Inline Mic/PTT, Magone
PMLN5728A	Receive only earpiece, Magone
PMLN5729A	Impress ear microphone system
PMLN5731A	Heavy Duty Headset



Rev. 1 Addendum to UK Declaration of Conformity (DoC-15031800079-I)

The listed accessories are approved for use with the object of this declaration.

(* Non-UK types of power supply plugs can be only used with adaptor complying UKCA regulatory and BS 1363-3 standard.)

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
PMLN5732A	Earset with boom mic, Magone
PMLN5733A	Earbud with inline Mic/PTT, Magone
PMLN6635A	LIGHTWEIGHT HEADSET
PMLN6754A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BLACK
PMLN6755A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BEIGE
PMLN6757A	ADJUST D-STYLE W/ IN-LINE PTT/MIC
PMLN6758A	1-WIRE RCV ONLY QD TRANS TUBE BLK
PMLN6759A	IMPRESS TEMPLE TRANSDUCER
PMLN6761A	BREEZE HEADSET MAGEONE
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMLN7269A	NEW 2 WIRE SURVEILLANCE KIT, BLACK
PMLN7270A	NEW 2-WIRE SURVEILLANCE KIT, BEIGE
PMMN4072A	IMPRES RSM large 3.5 jack NC Emerg
PMMN4074A	Impress RSM with 3,5mm Jack
PMMN4075A	REMOTE SPEAKER MICROPHONE SMALL, NO EMERGENCY, IP57
PMMN4078A	RSM small 3.5 jack, Emerg
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
BATTERY	
NNTN8020A	BATTERY LIION LOW CAP (1650MAH) 3.6V NON-IMPRES, IP55
NNTN8020AC	3.7V LITHIUM ION BATTERY, 6.1WH



Rev. 1 Addendum to UK Declaration of Conformity (DoC-15031800079-I)

The listed accessories are approved for use with the object of this declaration.

(* Non-UK types of power supply plugs can be only used with adaptor complying UKCA regulatory and BS 1363-3 standard.)

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
BATTERY	
NNTN8020B	BATT STD IP55 LIION 1850M 1950T
NNTN8023B	BATTERY LI-ION HIGH CAP (2150MAH) 3.6V NON-IMPRES, IP55
NNTN8023BC	3.7V LITHIUM ION BATTERY, 8.1WH, 2200MAH
BODYWORN	
GMDN0386A	Peter Jones Klick Fast sew on dock
GMDN0445AA	Peter Jones Klick Fast snap on tag dock
GMDN0497A	Peter Jones Belt Dock 38mm
GMDN0547A	Peter Jones Klick Fast double tongue tag dock
GMLN4488A	Peter Jones Click Fast 50 mm Dock Belt
HLN6602A	Universal Chest Pack
PMLN5004B	Shoulder Wearing Device
PMLN5885B	Hard Leather Case 3 SWLBL FKP/LKP
PMLN5887B	Soft Leather Case 3 SWLBL FKP/LKP
PMLN5888B	Soft Leather Case 2.5 SWLBL FKP/LKP
PMLN5890B	SOFT LEATHERÂ POUCH USE W/P.J. STUD
PMLN8025A	Peter Jones Clip V2

SOFTWARE

The installed radio software is under the full control of the manufacturer with no access by the user and is in compliance with the relevant UK legislation.